1978 Author Index

(Asterisk indicates abstract)

Alderson, P.O. see Der Motta, S.L.
see Gawles, D.S.

Allen, J.G. Book review: *NCRP Report No. 56; Radiation Exposure From Consumer Products and Miscellaneous Sources*, 166

Altman, R.D. see Koorji, A.H.

Auerbach, C.A. Abnormal hematocrit effect on whole blood filter paper thyroxine values, 103*

Auerbach, C.A. and James, E.G. Serum thyroxine and whole blood filter paper thyroxine levels, 41*

Bacharach, S.L. see Mack, B.A.

Baker, W.J., Christian, P.C., Deyman, M.E., and Slater, J.B. Radiation protection in a radiopharmacy, 106*

Baggenstoss, B.J., Omdahl, A.L., Brown, M.L., and Wahner, H.W. LeVeen shunt patency testing, 202

Bankston, C.N. see Lobred, S.K.

Basiewicz, R.H. see Hughes, J.A.

Bates, B.B., Reryck, S.K., and Jones, R.H. Exercise techniques for radionuclide angiocardiography, 199

Bayer, P.L. ^{131}I-iodomethylnorcholesterol adrenal gland imaging, 110*

Becker, G.P. see Thorson, L.M.

Becker, L. see Montgomery, W.R.

Beierwaltes, W. see Clare, J.

Bhat, D. see Bontemps, R.

Biales, E.L. see Murphy, P.H.

Bible, K. see Witte, D.L.

Bigham, K.E. and Crucitti, T.W. Transmission wedge for anatomical localization, 87

Bode, R.F. see Daniels, D.L.
see Floyd, J.L.
see Waliszewski, J.A.

Bontemps, R., Heller, S., Bhat, D., and Freeman, L.M. Regions of interest in determining kidney-background ratios, 109*

Borer, J.S. see Mack, B.A.

Brahmaver, S.M. see Lis, G.A.

Branding, J.A. Value clarification techniques in nuclear medicine, 155

Brooks, A.C. see Gaston, E.L.

Brown, M.L. see Baggenstoss, B.J.

Budzier, A.D. see Enos, G.W.

Burow, R.D. see Montgomery, W.R.

Bushberg, J.T. and Thakur, M.L. Isolating and labeling blood cells with ^{111} In-oxine, 108*

Busher, J.E. and Gombosh, S.J. Evaluation of a serum ferritin radioassay, 102*

Busher, J.E., Gombosh, S.J., and Wiener, S.N. Urine estriol measurement with a serum estriol kit, 102*

Camp, V.M., Faraj, B.A., Tarcan, Y., Cobbs, W.B. and Heymsfield, S. Radioenzymatic assay of catecholamines, 102*

Caprio, M.L. Anger camera collimator selectin for ^{67}Ga, 205

Capuzzi, J.P. Improving patient scheduling, 37

Capuzzi, J.P., Dessel, S. and Rotheberg, H.P. Cost control in the radiopharmacy, 106*

Caretta, B. see Giga, J.L.

Caretta, R.F. see Monk, J.K.

Carroll, R.G. see Levine, G.

Christian, P.C. see Baker, W.J.

Cianci, M.L. SNM 25th annual meeting note, 99

Clare, J., Thrall, J. and Beierwaltes, W. Optimum technique in adrenal scanning, 110*

Cobbs, W.B. see Camp, V.M.

Conrad, A. see Costanza, M.

Conway, J.J. see Weiss, S.

Costanza, M. and Conrad, A. A cost cutting analysis of xenon devices, 109*

Cradduck, T.D. Book review: *NCRP Report No. 50: Review of NCRP Radiation Dose Limit for Embryo and Fetus in Occupationally Exposed Women*, 40

Cradduck, T.D. Book review: *NCRP Report No. 51: Radiation Protection Design Guidelines for 0.1 to 100 MeV Particle Accelerator Facilities*, 40

Craig, W.E. see Daniels, D.L.

Crawford, J. see Levine, G.

Crucitti, T.W. Photon-deficient area with ^{99m}Tc-DTPA, 211

Crucitti, T.W. see Bigham, K.E.
see Valdez, V.A.

Cunningham, M.S. The need to improve patient care, 97

Daniels, D.L., Sonnemaker, R.E., Floyd, J.L., Craig, W.E. and Bode, R.F. Evaluation of serum myoglobin determination, 41*

Deatrich, D.C., Kostuk, W.J., and Mamacos, J.P. Breast attenuation effect of ^{201}Tl myocardial imaging, 106*

DerMotta, S.L., Langan, J.K., and Alderson, P.O. ^{127}Xe and ^{81m}Kr ventilation studies, 109*

Dessel, S. see Capuzzi, J.P.

Deyman, M.E. see Baker, W.J.

dos Remedios, L.V. see Lin, W-C.W.

Douglass, K.H. see Gawles, D.S.

D'Souza, W., Greyson, N.D. and Noyek, A.M. Three phase bone scanning of the face and skull, 111*

Dubovsky, E.V. see Kontzen, F.

Dufresne, E.N. and Kaplan, W.D. Internal mammary lymphoscintigraphy, 108*

Elster, A. see Mandelzweig, Y.

English, R.J. High density concrete for shielding radiations, 73

Enos, G.W. and Budzier, A.D. Devices for reducing personnel radiation exposure, 89

Faraj, B.A. see Camp, V.M.

Farkas, S.P. see Mack, B.A.

Ficken, V.J. see Proctor, L.A.

Floyd, J.L., Sonnemaker, R.E. Waliszewski, J.A., and Bode, R.F. Ejection fraction reproducibility using a cardiac probe, 42*

Floyd, J.L. see Daniels, D.L.
see Waliszewski, J.A.

Freeman, L.M. see Bontemps, R.

Front, D. see Mandelzweig, Y.

Gallagher, J.H. see Study, K.T.

Galloway, M.M. Book review; *Radiology for Medical Students*, 217

Garcia, E.V. see Koorji, A.H.

Gaspard, C.L. see Gaston, E.L.

Gaston, E.L., Gaspard, C.L., and Brooks, A.C. Dynamic leg scintigraphy with an LFOV scintillation camera, 27

Gawles, D.S., Douglass, K.H., Alderson, P.O., and Wagner, H.N. First pass biventricular function in the RAO projection, 105*

Gibbons, D.M. and Johnston, R.E. Moire effect and bar phantom images, 101*

Gibbs, W.D., Holloway, S., and Hodges, H.D. Quantitation of positron emission tomographic images, 104*

Gibbs, W.D. see Hodges, H.

Giga, J.H. see Lobred, S.K.

Giga, J.L., Klenke, B., and Carretta, B. A reappraisal of liver flow studies, 36

Gombosh, S.J. see Busher, J.E.

Green, M.V. see Mack, B.A.

Greyson, N.D. see D'Souza, W.

Groch, M.W. see Murphy, P.H.

Hall, J.W., VanTuinen, R.J. and Kruger, J.B. Surgical concepts in radioactive contamination control, 106*

Hammell, T.C., McCormick, M.V., and Wahner, H.W. Adrenal imaging using multiplane tomography, 110*

Hansell, J.R. Book review; *Gallium-67 Imaging*, 166

Heller, S. see Bontemps, R.

Herrera, N.E. see Valdez, V.A.

Heyert, M. Physician-technologist-patient communications, 107*

Heymsfield, S. see Camp, V.M.

Hibbard, W.M. Instructional objectives for clinical practice, 79

Hill, T.C. see Lovett, T.D.

Hinkle, K.M. Technical aspects of nuclear cystography, 41*

Hodges, H., Gibbs, W.D., and Holloway, S. Reducing CO_2 inhalation in lung studies, 96

Hodges, H.D. see Gibbs, W.D.

Holloway, S. see Gibbs, W.D.
see Hodges, H.

Holman, B.L. see Neill, J.M.

Housholder, D.A. see Kasecamp, W.R.

Hughes, J.A., Williams, C.C., Thomas, D.R., Maxon, H.R., Basiewicz, R.H., and Love, W.J. Variable radionuclidic purity of ^{123}I, 103*

Inglis, A.E see Koorji, A.H.

Isserstadt, G.A. Book review; *Financial Operation and Management Concepts in Nuclear Medicine*, 98

James, E.G. and Mitchell, R.L. Four gentamicin assay systems, 103*

James, E.G. see Auerbach, C.A.

Johnston, A.S. see Kim, I.

Johnston, G.S. see Mack, B.A.
see Wilson, J.F.

Johnston, R.E. see Gibbons, D.

Jones, R.H., Watson, D.D. and Teates, C.D. ^{201}Tl myocardial imaging techniques, 105*

Jones, R.H. see Bates, B.B.

Kan, M.K. Camera resolution in thyroid imaging, 94

Kapian, W.D. see Dufresne, E.N.

Kasecamp, W.R., Nickoloff, E.L., Mikesell, H.H., Housholder, D.A., and McIntyre, P.A. Serum B_{12} and Vitamin B_{12} absorption studies in pernicious anemia, 103*

Kasecamp, W.R. see Mikesell, H.H.
see Montgomery, W.R.

Kereiakes, J.G. see Lewis, J.T.

Kim, I., Johnston, A.S., Youngstrum, C., Ryo, U.Y., and Pinsky, S.M. Visual observation of the caridac wall motion study, 105*

Kim, I. see Lee, J.

Klenke, B. see Giga, J.L.

Klosowski, P.J., Kulczek, J., and Sein, M.A. Radionuclide angiography for vascular patency studies, 107*

Koch, K. Book review; *The Fundamentals of X-ray and Radium Physics*, 98

Koller, D. see Montgomery, W.R.

Kontzen, F., Namey, T., Tobin, M., Dubovsky, E.V., and Tauxe, W.N. Technical aspects of joint imaging, 110*

Koorji, A.H. and Altman, R.D. Qualitative evaluation of bone joint function, 110*

Koorji, A.H., Inglis, A.E., Garcia, E.V., Miale, A., and Serafini, A.N. Resolution and sensitivity determination for a multiplane tomographic scanner, 102*

Kostuk, W.J. see Deatrich, D.C.

Kranwinkel, R.N. see Valdez, V.A.

Kruger, J.B. see Hall, J.W.

Kulczek, J. see Klosowski, P.J.

Langan, J.K. see DerMotta, S.L.
see Rodewald, A.

LaRocque, L.R. Identifying kidney structure in quantitative analysis of bilateral renal scintigraphy, 149

LaRocque, L.R. Improving patient scheduling, 37

LaRocque, L.R. Uptake of sulfur colloid by liver, spleen, lungs, and skeleton, 214

Lee, J., Kim, I., Ryo, U.Y., and Pinsky S. Evaluation of hypersplenism as a cause of thrombocytopenia, 108*

Levine, G., Malhi, B., and Rose, L. Color coding radiopharmaceuticals, 159

Lewis, J.T., Padikal, T.N., Thomas, S.R., and Kereiakes, J.G. The importance of correct photopeak setting, 141

Lin, W-C.W. and dos Remedios, L.V. T_3 uptake determination using talc tablets, 207

Lindley, A.L. see Lobred, S.K.

Line, B.R. see Wilson, J.F.

Lis, G.A., Brahmaver, S.M., and Zu'bi, S.M. Coldspot method of pancreas scanning, 20

Lobred, S.K., Giga, J.H., Bankston, C.N., and Lindley, A.L. Economical and efficient radioassay calculations, 41

Love, W.J. see Hughes, J.A.

Lovett, T.D. and Hill, T.C. Performing emission tomography, 104*

Mack, B.A. Borer, J.S., Green, M.V., Farkas, S.P., Bacharach, S.L., and Johnston, G.S. Radionuclide cineangiography, 104*

Maddrey, W.C. see Mikesell, H.G.

Malekian, T. and Myers, R.W. Routine post-perfusion ^{133}Xe ventilation lung scanning, 109*

Malhi, B. see Levine, G.

Mamacos, J.P. see Deatrich, D.C.

Mandelzweig, Y., Front, D., Elster, A., and Tatcher, M. Copying and photographic data processing of x-ray film scintigrams, 92

Maxon, H.R. see Hughes, J.A.

McCormick, M.V. and Wahner, H.W. Background radiation effects on I by X-ray fluorescence, 30

McCormick, M.V. see Hammell, T.C.

McIntyre, P.A. see Kasecamp, W.R.
see Mikesell, H.H.

McVey, M.S. see Nicol, L.L.

Miale, A. see Koorji, A.H.

Mikesell, H.H., Yang, S.L., Nickoloff, E.L., Kasecamp, W.R., Maddrey, W.C., and McIntyre, P.A. Plasma volumes using ^{99m}Tc- and ^{131}I-HSA, 107*

Mikesell, H.H. see Kasecamp, W..R.

Mitchell, R.L. see James, E.G.

Monk, J.K., Caretta, R.F., and Schuetz, D. ^{99m}Tc-pyridoxylideneglutamate for gallbladder iamging, 103*

Montgomery, W.R., Nickoloff, E.L., Raab, E., Schnidledecker, G., Koller, D., Kasecamp, W.R., Burow, R.D., and Becker, L. Factors influencing scintillation camera field uniformities, 101*

Moser, K.M. see Sgroi, V.L.

Murphy, P.H., Bialas, E.L., Groch, M.W., and Myers, G.D. Magnification and rotation for gamma camera imaging, 101*

Myers, G.D. see Murphy, P.H.

Myers, R.W. see Malekian, T.

Namey, T. see Kontzen, F.

Neill, J.M., Wynne, J., and Holman, B.L. Functional ejection fraction using a digital comupter, 42*

Nickoloff, E.L. Book review; *Radioimmunoassay and Related Techniques,* 217

Nickoloff, E.L. see Kasecamp, W.R.
see Mikesell, H.H.
see Montgomery, W.R.

Nicol, L.L., McVey, M.S., and Tetalman, M.R. Blood flow patterns with superior vena caval obstruction, 108*

Noyel, A.M. see D'Souza, W.

Nusynowitz, M.L. see Waliszewski, J.A.

Omdahl, A.L. see Baggenstoss, B.J.

Padikal, T.N. see Lewis, J.T.

Pasternak, S.L. see Shewmaker, J.R.

Patrick, D.R. see Proctor, L.A.

Persoon, T.J. see Witte, D.L.

Pinsky, S.M. see Kim, I.
see Lee J.

Proctor, L.A. Patrick, D.R., and Ficken, V.J. Calibration of dose calibrators, 106*

Raab, E. see Montgomery, W.R.

Reed, V.R. Four image cyclic gated technique with high spatial resolution, 105*

Reese, L. see Wilkins, K.

Rerych, S.K. see Bates, B.B.

Reznikov, P.D. and Teates, C.D. Methods used to perform radiochemical quality control, 104*

Rodewald, A. and Langan, J.K. Window setting effects on ^{201}Tl imaging, 101*

Rose L. see Levine, G.

Rose, L.H. Impact of computer-assisted diagnosis, 41*

Rotheberg, H.P. see Capuzzi, J.P.

Routh, J.I. see Witte, D.L.

Russell, S.K. Portable gamma camera imaging, 101*

Ryo, U.Y. see Kim, I.
see Lee, J.

Schindledecker, G. see Montgomery, W.R.

Schuetz, D. see Monk, J.K.

Sein, M.A. see Klosowski, P.J.

Serafini, A.N. see Koorji, A.H.

Sgroi, V.L. and Moser, K.M. ^{125}I-fibrinogen detection of deep vein thrombosis, 65

Shewmaker, J.R. and Pasternak, S.L. Routine venography in conjuction with perfusion lung imaging, 42*

Sinclair, M.D. Nonfinancial job rewards, 107*

Slater, J.E. see Baker, W.J.

Sonnemaker, R.E. see Daniels, D.L.
see Floyd, J.L.
see Waliszewski, J.A.

Spicer, M.J. see Waliszewski, J.A.

Stamper, J.H. see Walaski, S.L.

Stankiewicz, C.J. Transmission imaging source placement, 36

Staum, M.M. Book review; *Basics of Radiopharmacy,* 217

Study, K.T. and Gallagher, J.H. Correlation of gel-column chromatograms and scan quality, 104*

Tarcan, Y. see Camp, V.M.

Tatcher, M. see Mandelzweig, Y.

Tauxe, W.N. see Kontzen, F.

Teates, C.D. see Jones, R.H.

Tetalman, M.R. see Nicol, L.L.

Thakur, M.L. see Bushberg, J.T.

Thomas, S.R. see Hughes, J.A.
see Lewis J.T.

Thorson, L.M., Becker, G.P., and Wahner, H.W. Subtraction technique in abdominal abscess diagnosis, 11

Thrall, J. see Clare, J.

Timpe, G.M. Reducing CO_2 inhalation in pulmonary studies, 96

Tobin, M. see Kontzen, F.

Valdez, V.A., Kranwinkel, R.N., Crucitti, T.W., and Herrera, N.E. Non-visualization of the liver with ^{99m}Tc-S colloid, 161

VanTuinen, R.J. see Hall, J.W.

Vermess, C.B. see Wilson, J.F.

Wagner, H.N. see Gawles, D.S.

Wahner, H.W. see Baggenstoss, B.J.
see Hammell, T.C.
see McCormick, M.V.
see Thorson, L.M.

Walaski, S.L. and Stamper, J.H. Survey results for continuing education topic choice, 84

Waliszewski, J.A., Sonnemaker, R.E., Floyd, J.L., Bode, R.F., Spcier, M.J. and Nusynowitz, M.L. Single injection ^{210}Tl stress redistribution myocardial imaging, 43*

Waliszewski, J.A. see Floyd, J.L.

Watson, D.D. see Jones, R.H.

Weigand, P. Book review; *Fundamentals of RIA and Other Ligand Assays,* 40

Weigand, P. Book review; *Medical Physics,* 218

Weigand, P. Book review; *NCRP Report No. 54: Medical Radioation Exposure of Pregnant and Potentially Pregnant Women,* 166

Weigand, P. Book review; *Nuclear Medicine: Clinical and Technological Bases,* 98

Weigand, P. Editor's letter, 10, 63, 140, and 197

Weiss, S. and Conway, J.J. An artifact of immediate brain imaging, 145

Wiener, S.N. see Bushar, J.E.

Wilkins, K. and Reese, L. Left ventricular ejection fractions using a multicrystal scintillation camera, 17

Wilkins, K. and Reese, L. ^{99m}Tc-pyrophosphate scans and wall motion studies in acute myocardial infarct, 105*

Williams, C.C. see Hughes, J.A.

Wilson, J.F., Line, B.R., and Johnston, G.S. Comparison of Xe ventilation washout techniques, 42*

Wilson, J.F., Line, B.R., Vermess, C.B., and Johnstone, G.S. Motion artifacts in ventilation-perfusion studies, 109*

Witte, D.L. Persoon, T.J., Bible, K., and Routh, J.I. Reference sera for effective thyroxine ratio measurements, 69

Wynne, J. see Neill, J.M.

Yang, S.L. see Mikesell, H.H.

Youngstrum, C. see Kim, I.

Zu'bi, S.M. see Lis, G.A.

Zueske, G. Stomach concentration of ^{99m}Tc-diphosphonate, 34

1978 Subject Index

(Asterisk indicates abstract)

Abdomen
abscess imaging ^{99m}Tc, ^{67}Ga-citrate subtraction technique, 11
photon-deficient area, ^{99m}Tc-DTPA study, 211
Abscess
abdominal, ^{99m}Tc, ^{67}Ga-citrate subtraction technique, 11
Adrenal glands
imaging, ^{131}I-iodomethylnorcholesterol, 110*
multiplane tomography, ^{131}I-methyliodocholesterol, 110*
Albumin, *see Iodine-131; Technetium-99m*
Arthritis
joint imaging, 110*
Artifact
brain image, scalp circulation, 145
motion, lung ventilation, perfusion ratio, 109*
Background
—kidney transplant ratios, region of interest choice, 109*
subtraction, fluorescence scanner, 30
Biliary, *see Gallbladder*
Blocking dose
thyroid, ^{125}I-fibrinogen fibrosis test, 65
Blood
abnormal hematocrit effect on whole blood filter paper thyroxine values, 103*
anemia, pernicious, B12 serum, absorption tests, 103*
anemia, serum ferritin radioassay, 102*
clot, *see Thrombus*
^{51}Cr-platelets, hypersplenism evaluation, 108*
flow, *see Specific organ; Vascular system*
neutrophils, lymphocytes, platelets, ^{111}In-oxine labeling, 108*
plasma volume, simultaneous ^{131}I-, ^{99m}Tc-HSA, 107*
^{99m}Tc-RBC, in vivo labeled, left ventricular function, 42*
Bone
imaging, face and skull, ^{99m}Tc-methylene diphosphonate, 111*
scanning, stomach uptake of ^{99m}Tc-diphosphonate, 34
Bone marrow
^{99m}Tc-S colloid uptake, 214
Book review
Basics of Radiopharmacy, 217
Financial Operation and Management Concepts in Nuclear Medicine, 98
Fundamentals of RIA and Other Ligand Assays, 40
Gallium-67 Imaging, 166
Medical Physics, 218
NCRP Report No. 51: Radiation Protection Design Guidelines for 0.1-100 MeV Particle Accelerator Facilities, 40
NCRP Report No. 53: Review of NCRP Radiation Dose Limit for Embryo and Fetus in Occupationally Exposed Women, 40
NCRP Report No. 54: Medical Radiation Exposure of Pregnant and Potentially Pregnant Women, 166
NCRP Report No. 56: Radiation Exposure from Consumer Products and Miscellaneous Sources, 166
Nuclear Medicine: Clinical and Technological Bases, 98
Radioimmunoassay and Related Techniques, 217
Radiology for Medical Students, 217
The Fundamentals of X-Ray and Radium Physics, 98
Brain
emission tomography, 104*
image artifact, scalp circulation, 145
Breast
attenuation, ^{201}Tl heart imaging, 106*
lymph node imaging, ^{99m}Tc-antimony sulfide, 108*
Calculator
hand held, radioassay calculations, 41*
Camera, scintillation
brain image artifact, 145
collimator choice, ^{67}Ga, 205
—computer, large field-of-view, lung ventilation post-perfusion study, 109*
dynamic leg scintigraphy, ^{99m}Tc-HAM, 27
field uniformity parameters, 101*
hypertension evaluation, ^{51}Cr-platelets, 99m
image magnification, rotation, 101*
multicrystal, left ventricular ejection fraction, ^{99m}Tc-gluconate, 17
photopeak setting, 141
portable, utility, 101*
quantitative renal analysis, 149
resolution, Moire effect, bar phantoms, 101*
thyroid image quality, ^{99m}TcO4$^-$, 94
window setting, effects on ^{201}Tl imaging, 101*
Carbon-11
quantitative positron tomography, 104*
Cardiology, *see Heart*
Catecholamine
radioenzymatic assay, 102*
Chromatography
gel-column, correlation with scan quality, 104*
paper, I.T.L.C., ^{99m}Tc-agents, 104*
Chromium-51
—platelets, hypersplensim evaluation, scintillation camera, 108*
Cisternography
spinal needle dead space, 153
Clinical evaluation
heart imaging and wall motion, infarct, 99m Tc-pyrophosphate, 53 scans, 105*
nuclear cystography, vesicouretereal reflux, diagnosis, 62 cases, 41*
pancreas scanning, coldspot method, ^{75}Se, ^{99m}Tc-S colloid, 900 cases, 20
radionuclide venography combined with lung imaging, 151 cases, 42*
Collimator
choice ^{67}Ga, scintillation camera, 205
lung ventilation studies, ^{127}Xe, ^{81m}Kr, 109*
multicrystal camera, left ventricular ejection fraction, 17
pinhole, effect on ^{99m}TcO4$^-$ thyroid image quality, 94
Computer
—assisted diagnosis, clinical impact, 41*
—camera, ^{133}Xe lung ventilation following ^{99m}Tc perfusion study, 109*
digital, left ventricular ejection fraction, in vivo labeled ^{99m}Tc-RBC, 42*
image reconstruction, Xe lung ventilation washout, 42*
smoothing, pancreas scan, 20
Cost
computer-assisted medical diagnosis, 41*
control, radiopharmacy, 106*
control, xenon devices, 109*
management, book review, 98
Data processing
biventricular function, first pass heart studies, 105*
cardiac wall motion study, visual vs movie mode, 105*
image magnification, rotation, heart studies, 101*
left ventricular ejection fraction, multicrystal camera, 17
photographic, 92
substraction technique, abdominal abscess, 11
Departmental operations
color coding radiopharmaceuticals, 159
patient care, 97
patient communications, 107*
portable scintillation camera, 101*
scheduling, 37
scintigram copying, 92
shielding devices, 89
Diphosphonate, *see Technetium-99m*
Display
image magnification, rotation, heart studies, 101*
Dopamine
radioenzymatic assay, 102*
Dose
calibrator, calibration, 106*
radiation, *see Radiation dose; Radiation safety*
spinal needle dead space, 153
Editor's letter
changeover, 10
information for authors, 63
Journal and staff changes, 197
manuscript submission, 140
Education
continuing, survey, 84
instructional objectives, 79
patient care, 97
radiation safety, 106*
radiopharmacy training, 79
value clarification techniques, 155
Emission tomography, *see Tomography, radionuclide*
Enzyme
immunoassay, book review, 40
radio-, catecholamine assay, 102*
Estriol
serum, radioimmunoassay, 102*
Exercise
techniques, radionuclide angiocardiography, 199
Extremities
knee uptake of ^{99m}Tc-pyrophosphate, 110*
joint imaging, ^{99m}Tc-phosphates, 110*
legs, deep venous thrombosis deteciton, ^{125}I-fibrinogen, 65
legs, dynamic scintigraphy, ^{99m}Tc-HAM, 27
^{99m}TcO4$^-$ vascular angiography, 107*
Ferritin
serum, radioassay, 102*
Fetus
NCRP radiaion dose limits, book review, 40, 166
Fibrinogen
^{125}I-, deep venous thrombosis detection, 65
Film
copying, photographic data processing, 92
Filter
blood thyroxine assay, 41*, 103*
Flood field
uniformity parameters, 101*
Fluorescence scanning
background subtraction, 30
FWHM, *see Resolution*

Gallbladder
imaging, ^{99m}Tc-pyridoxlyidene glutamate, 103*
Gastrointestinal tract
effect of meal on ^{99m}Tc-DTPA studies, 211
image subtraction, abdominal abscess imaging, ^{99m}Tc, DTPA, ^{67}Ga-citrate, 11
stomach uptake of ^{99m}Tc-diphosphonate, 34
Galium-67, citrate
abdominal abscess imaging, subtraction technique, 11
collimator choice, scintillation camera, 205
imaging, book review, 166
Gate
multiple, four image cyclic heart studies, 105*
Generator
storage, elution vault, 89
Gentamicin
radioimmunoassay systems, 103*
Heart
biventricular function, first pass, 105*
ejection fractions, ^{99m}Tc-S colloid, probe, 42*
four image cyclic gated technique, 105*
image magnification, rotation, 101*
infarct, imaging, wall motion, ^{99m}Tc-pyrophosphate, 105*
infarct, serum myoglobin radioimmunoassay, 41*
left ventricular ejeciton fraction, ^{99m}Tc-gluconate, multicrystal camera, 17
left ventricular function, digital computer, in vivo labeled ^{99m}Tc-RBC, 42*
radionuclide cineangiography patterns, 104*
stress studies, exercise techniques, 199
^{201}Tl imaging, breast attenuation, 106*
^{201}Tl imaging, optium techniques, 105*
^{201}Tl imaging, window setting effects, 101*
^{201}Tl stress and redistribution studies, 43*
wall motion study, visual observation, ^{99m}Tc-HSA, 105*
Immunology
assays, book review, 40
Indium-111
—oxine, labeling blood components, 108*
Infection
abdominal abscess imaging, ^{67}Ga-citrate, subtraction techniques, 11
^{67}Ga-imaging, book review, 166
Injection
single biventricular function, 105*
spinal needle dead space, 153
Interview
nonfinancial job rewards, 107*
patients, communication, 107*
Iodine-123
radionuclide purity effects, 103*
Iodine-125
—fibrinogen, deep venous thrombosis detection, 65
Iodine-131
—HSA, plasma volume, 107*
—iodomethylnorcholesterol, adrenal imaging, 110*
—methyliodocholesterol, 110*
—rose bengal, liver imaging, 161
Iron
serum ferritin radioassay, 102*
Joint
imaging, ^{99m}Tc-diphosphonates, -pyrophosphate, technique, 110*
knee, ^{99m}Tc-pyrophosphate uptake, 110*
Kidney
—background ratios, region of interest choice, transplants, 109*
identification for quantitative analysis, 149
imaging, ^{99m}Tc-DTPA, adrenal studies, 110*
^{99m}Tc-DTPA studies, abdominal photon-deficient area, 211
Kit
choice, gel-column chromatogrpahy, 104*
Krypton-81m
lung ventilation study, technique, 109*
Licensing
training program, 79
LSF, *see Resolution*
Liver
blood flow, positive study incidence, 36
flow study, superior vena caval obstruction, ^{99m}Tc-S colloid, ^{67}Ga-citrate, 11
imaging, lung and marrow uptake of ^{99m}Tc-S collid, 214
imaging, nonvisualization, ^{99m}Tc-S colloid, 161
positron tomography, quantitative, 104*
scanning, pancreas coldspot method, 20
scanning, costal margin marker, 41*
Lung
imaging, combined with venography, 42*
inhalation studies, CO_2 rebreathing effects, 96
^{99m}Tc-S colloid uptake, 214
ventilation, perfusion ratio, motion artifacts, 109*
ventilation, ^{127}Xe, ^{81m}Kr, 109*
Xe ventilation washout imaging, 42*
^{133}Xe apparatus, cost control, 109*
Lymph nodes
^{99m}Tc-antimony sulfide imaging, radiation therapy planning, 108*
Lymphocytes
^{111}In-oxine labeling, 108*
Multichannel analyzer
^{99m}Tc-agents, quality control, 104*
Myoglobin
serum, radioimmunoassay, 41*
Neutrophils
^{111}In-oxine labeling, 108*
Norepinephrine
radioenzymatic assay, 102*
Observer performance
cardiac wall motion study, visual versus movie mode, 105*
Pancreas
positron tomography, quantitative, 104*
scanning, coldspot, ^{75}Se, ^{99m}Tc-S colloid, 20
Particle accelerator
radiation protection design, book review, 40
Patient position
costal margin liver marker, 41*
lung ventilation, perfusion ration, 109*
radionuclide cineangiography, 104*
transmission image aid, 87
Pediatrics
neonates, T_4 in blood, filter paper assays, 41*, 103*
vesicoureteral reflux diagnosis, 41*
Phantom
bar, Moire effect, 101*
heart, window setting effects on ^{201}Tl imaging, 101*
lung, ^{127}Xe, ^{81m}Kr ventilation technique, 109*
Photopeak
setting, scintillation camera, 141
Platelets
^{51}Cr-, hypersplenism evaluation, scintillation camera, 108*
^{111}In-oxine labeling, 108*
Positron tomography
quantitation of images, 104*
Pregnancy
radiation dose, exposure, book review, 40, 166
serum estriol radioimmunoassay, 102*
Probe
cardiac, ejection fraction reproducibility, ^{99m}Tc-S colloid, 42*
deep venous thrombosis detection, ^{125}I-fibrinogen, 65
Pyrophosphate, *see Technetium-99m*
Quality Control
color coding radiopharmaceuticals, 159
dose calibrator calibration, 106*
gel column chromatography, correlation with scan quality, 104*
methods, ^{99m}Tc-compounds, 104*
multiple test considerations, 104*
photopeak setting, scintillation camera, 141
radionuclide purity of ^{123}I, 103*
resolution, camera-collimator-bar phantom combinations, 101*
reference sera choice, effective thyroxine ratio, 69
scintillation camera field uniformity parameters, 101*
spinal needle dead space, 153
tomographic scanner, resolution, sensitivity, 102*
Radiation dose
limit, in pregnancy, book review, 40
Radiation safety
book review, 98
exposure in pregnancy, 40, 166
exposure from miscellaneous sources, 166
generator vault, waste disposal, 89
high density concrete shielding, 73
methods in radiopharmacy, 106*
particle accelerator facility design, book review, 40
surgical concepts, 106*
Radiation therapy
planning, breast lymph node imaging, 108*
Radioassay
book review, 40, 217
enzymatic, catecholamines, 102*
hand calculator use, 41*
serum ferritin, 102*
Radioimmunoassay
book review, 40, 217
gentamicin, comparison of systems, 103*
serum estriol, 102*
serum myoglobin, 41*
serum T_4 screening, in neonates, 41*
Radiology
book review, 217
Radiopharmacy
basics, book review, 217
cost control, 106*
radiation safety, 106*
training, 79
Red blood cells
^{99m}Tc-, in vivo labeled, left ventricular function, 42*
Resolution
scintillation camera, bar phantom, 101*
scintillation camera, $^{99m}TcO_4^-$ thyroid imaging, 94
tomographic scanner, 102*
Rose bengal, *see Iodine-131*
resolution, sensitivity, 102*
Scanner, tomographic
resolution, sensitivity, 102*
Scatter
fluorescence scanning, 30
Schilling test
pernicious anemia, 103*
Selenium-75
pancreas scanning, coldspot method, 20
Shield
generator vault and waste disposal, 89

high density concrete, 73
Shunt
LeVeen, patency testing, ^{99m}Tc-S colloid, 202
porto-caval, effect on ^{99m}Tc-S colloid liver image, 161
Spleen
hypersplenism evaluation, ^{51}Cr-platelets, ^{99m}Tc-S
colloid, camera and computer, 108*
imaging, lung and marrow uptake of ^{99m}Tc-S colloid, 214
scanning, costal margin marker, 41*
Survey
continuing education, 84
impact of computer-assisted diagnosis, 41*
Technetium-99m
—agents, quality control methods, 104*
—diphosphonate, stomach uptake on bone scan, 34
—DTPA, GI tract image subtraction, abdominal imaging, 11
—DTPA, kidney imaging, quantitative analysis, 149
—DTPA, kidney studies, effect of meal, 211
—gluconate, heart, left ventricular ejection fraction, multicrystal camera, 17
—HAM, dynamic leg scintigraphy, 27
—HSA, cardiac wall motion, visual observation, 105*
—HSA, four image cyclic gated heart studies, 105*
—HSA, plasma volume 107*
lung perfusion before ventilation imaging, 109*
—methylene diphosphonate, 3 phase face and skull imaging, 111*
—methylene diphosphonate, —diphosphonate, —pyrophosphate, joint imaging, 110*
—pertechnetate, brain image artifact, 145
—pertechnate, peripheral vascular angiography, 107*
—pertechnate, thyroid image quality, 94
—pyridoxylidene glutamate, gallbladder imaging, 103*
—pyrophosphate, heart imaging and wall motion studies, infarct, 105*
—pyrophosphate, knee uptake, 110*
—RBC, in vivo labeled, left ventricular function, 42*
Technetium-99m, sulfur colloid
ejection fraction, cardiac probe, 42*
flow study, superior vena caval obstruction, 108*
LeVeen shunt patency testing, 202
liver blood flow, efficacy, 36
liver image subtraction, abdominal abscess imaging, 11
liver scanning, coldspot pancreas scanning, 20
liver-spleen imaging, hypersplenism, 108*
nonvisualized liver, 161
Technologist
job rewards, 107*
training, *see Education*
Thallium-201
heart imaging, breast attenuation, 106*
heart imaging, optimum techniques, 105*
myocardial perfusion imaging, stress and redistribution, 43*
window setting effects, 101*
Therapy
gentamicin, radioimmunoassay systems, 103*
Thrombus
deep venous, ^{125}I-fibrinogen testing, 65
dynamic leg scintigraphy, ^{99m}Tc-HAM, 27
radionuclide venography combined with lung imaging, 42*
Thyroid
blocking, 65
effective thyroxine ration, reference sera choice, 69
fluorescence scanning, background effects, 30
image quality, $^{99m}TcO_4^-$, equipment choice, 94
imaging, radionuclidic purity of ^{123}I, 103*
T_3 uptake test, talc tablets, 207
T_4 serum and whole blood filter paper assays, in neonates, 41*
T_4 whole blood filter paper assay, hematocrit effects, 103*
Thyroxine
ratio, effective, reference sera choice, 69
serum and filter paper whole blood assay, 41*
whole blood filter, abnormal hematocrit effects, 103*
Tomography, radionuclide
adrenals, ^{131}I-methyl iodocholesterol, 110*
brain, technical aspects, 104*
positron, quantitation of images, 104*
Training, *see Education*
Transmission
image, anatomical localization, 87
Transplant
kidney-background ratios, 109*
Tumor
breast cancer, lymph node imaging, ^{99m}Tc-antimony sulfide, 108*
T_3, ^{67}Ga-citrate imaging, book review, 166
effective thyroxine ratio, reference sera choice, 69
uptake determination, talc tablets, 207
T_4, *see Thyroxine*

Urinary Tract
vesicoureteral reflux diagnosis, pitfalls, 41*
Vascular system
see also *Heart, Thrombus*
porto-caval shunt, effect on ^{99m}Tc-S colloid liver image, 161
superior vena caval obstruction, 99mTc-S colloid flow study, 108*
$^{99m}TcO_4^-$ angiography, 107*
Vitamin B_{12}
serum levels absorption studies, pernicious anemia, 103*
Window
setting, effect on ^{201}Tl imaging, 101*
Xenon
lung ventilation washout imaging, 42*
Xenon-133
inhalation studies, CO_2 rebreathing, 96
rebreathing apparatus, cost control, 109*
ventilation following lung perfusion study, 109*